





PubMed	d Nu	cleotide Protein Genome Structure PopSet Taxonomy OMIM Book	s
Search	PubMed	▼ for chicory inulin Go Clear	
_		Limits Preview/Index History Clipboard Details	
	é		
		Display Summary ▼ Sort ▼ Save Text  Clip Add  Order	1816.
		Show: 20 V Items 21-29 of 29 Page 2 of 2 Select page: 1	2
			les
		Effect of dietary oligofructose and inulin on colonic preneoplastic aberrant cryp	t
		foci inhibition.	
		Carcinogenesis. 1997 Jul;18(7):1371-4. PMID: 9230282 [PubMed - indexed for MEDLINE]	
		i mis. 7250202 [i demos missioned fel mission]	
			ein
		Fructan of the inulin neoseries is synthesized in transgenic chicory plants	
		(Cichorium intybus L.) harbouring onion (Allium cepa L.) fructan:fructan	
		6G-fructosyltransferase.	
		Plant J. 1997 Mar;11(3):387-98. PMID: 9107030 [PubMed - indexed for MEDLINE]	
			ein
		Fructan synthesis in transgenic tobacco and chicory plants expressing barley	
		sucrose: fructan 6-fructosyltransferase.	
		FEBS Lett. 1997 Jan 6:400(3):355-8. PMID: 9009230 [PubMed - indexed for MEDLINE]	
			les
		The water-soluble extract of chicory reduces glucose uptake from the perfused	
		jejunum in rats. J Nutr. 1996 Sep;126(9):2236-42.	
		PMID: 8814212 [PubMed - indexed for MEDLINE]	
			les
		Purification and characterization of an oat fructan exohydrolase that preferentia	lly
		hydrolyzes beta-2,6-fructans.	
		Plant Physiol. 1996 Feb;110(2):639-44. PMID: 8742337 [PubMed - indexed for MEDLINE]	
			les
		Production of high concentrations of ethanol from inulin by simultaneous	
		saccharification and fermentation using Aspergillus niger and Saccharomyces cerevisiae.	
		cere rigide.	

Appl Environ Microbiol. 1993 Mar;59(3):729-33. PMID: 8481000 [PubMed - indexed for MEDLINE]

**\_\_\_127:** Ramirez I.

Related Articles

Rats discriminate between starch and other substances having a similar texture.

Physiol Behav. 1993 Feb;53(2):373-7.

PMID: 8446700 [PubMed - indexed for MEDLINE]

\_\_\_\_\_**128:** Levrat MA, Remesy C, Demigne C.

Related Articles

High propionic acid fermentations and mineral accumulation in the cecum of rats adapted to different levels of inulin.

J Nutr. 1991 Nov;121(11):1730-7.

PMID: 1941180 [PubMed - indexed for MEDLINE]

\_\_\_\_ 29: Rolf D, Gray GR.

Related Articles

Analysis of the linkage positions in D-fructofuranosyl residues by the reductive-cleavage method.

Carbohydr Res. 1984 Aug 1;131(1):17-28.

PMID: 6488201 [PubMed - indexed for MEDLINE]

Display	Summary	▼ Sort	I	Save	Text	Clip Add	Order	
Show: 20		Items 21-29 of 29			Page 2	of 2	Select p	age: 1 2

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Freedom of Information Act | Disclaimer







PubMed	Nucleotide Protein Genome Structure PopSet	Taxonomy	OMIM Books	
Search Pub	oMed   ▼ for processing chicory		Go Clear	7
<del></del>	Limits Preview/Index History Clipboard	Details		
	Display Summary V Sort V Save Text	Clip Add	Order	
	Show: 20 T Items 1-3 of 3		One page	
	1: Druart N, Goupil P, Dewaele E, Boutin JP, Rambour S.		Related Article	S
	Nitrate assimilation in chicory roots (Cichorium int growth.  J Exp Bot. 2000 Mar;51(344):539-46.	ybus L.) whic	ch acquire radial	
	PMID: 10938810 [PubMed - indexed for MEDLINE]			
			Related Article	s
	Quantitation of organic acids in sugar refinery juice	es with capilla	ary zone	
	electrophoresis and indirect UV detection.			
	J Chromatogr A. 1993 Oct 22;652(2):563-9. PMID: 8287143 [PubMed - indexed for MEDLINE]			
			Related Article	s
	The higher plant nad5 mitochondrial gene: a conser	rved discontir	nuous	
	transcription pattern.			
	Curr Genet 1992 Jul-22(1):75-82			

Curr Genet. 1992 Jul;22(1):75-82. PMID: 1377099 [PubMed - indexed for MEDLINE]

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

